



■ ILLUSTRATION IS TYPICAL ONLY OF GENERAL SERIES CONFIGURATION: FOR SPECIFIC CONFIGURATION, CALL JENSEN PRECAST.

MINIMUM EXCAVATION SIZE:
5'-6" x 8'-0" x DEPTH REQUIRED.

- Ⓐ 12" TOP SECTION WT.= 1,720 Lbs.
- Ⓑ EXTENSION SECTIONS AVAILBLE.
- Ⓒ 36" BOTTOM SECTION WT.= 5,200 Lbs.
- Ⓓ 12" WIDE X 12" TALL PIPE KNOCKOUT ON EACH END WALL, CUSTOM SIZES AVAILBLE UPON REQUEST.
- Ⓔ FOR COVERS: SEE COVER AND NECKING SECTION.

- DESIGNED FOR PEDESTRIAN OR LIGHT TRAFFIC LOADING.
- PLEASE CALL WITH DEPTH REQUIREMENTS, OTHER SIZES ARE AVAILBLE THAN WHAT IS SHOWN.

4'-0" x 6'-6" VARIABLE DEPTH FLAT WALL WATER / GAS VAULT	
ORG. DWG. DATE 11-29-00	REV. DWG. DATE



W-466 SERIES